

TITLE OF THE INVENTION

Environmentally Safe Insecticides

CROSS-REFERENCE TO RELATED APPLICATIONS

5 This application claims priority from provisional application
Ser. No. 60/400,732 filed August 3, 2002.

FIELD OF THE INVENTION

This invention relates to insecticides and, more particularly,
to such compositions which are highly effective in killing
10 insects while also being non-toxic to humans, animals, and the
environment.

BACKGROUND ART

Substantial effort has been expended to develop effective
insecticides, which are capable of eradicating or controlling
15 insects which destroy ornamental and agricultural plants, crops,
trees, etc. or which attack, harm, or annoy humans and animals.
Insect, as used herein, is used informally, in that it refers
not only to members of the phylogenetic Class Insecta, but also
to the various similar arthropod animals, such as spiders,
20 centipedes, mites and ticks. Similarly, insecticide, as used
herein, refers to chemicals which eradicate insects, spiders,
mites, ticks, etc. Despite the substantial need for products
which control or eradicate these insects, there is a scarcity of
effective formulations which are capable of eradicating insects,
25 while also being non-toxic to humans and animals.

There are a wide variety of pesticides and insecticides in the prior art. However, these prior art formulations typically include active ingredients which are highly toxic to humans and/or animals. Consequently, the prior art formulations must be
5 used at low concentrations, which decreases toxic effects, but also decreases potency.

Another problem with prior art insecticides is that insects frequently develop resistance or immunity to the insecticide.
10 Due to the highly adaptive nature of most insects and the manner in which insecticides typically function, many prior art insecticides are effective initially, but lose their effectiveness over time. The development of new insecticides helps to address this problem by providing alternate
15 insecticides, which can be used in combination or in an alternation with other insecticides.

Historically, one of the best known insecticides is dichlorodiphenyltrichloroethane (DDT). Although DDT was found to
20 have extraordinary insecticidal properties and had been widely used as one of the most effective insecticides, its use has now been banned in the United States and in other countries due to its more recently discovered toxicity to humans and animals.

Subsequent to the banning of DDT, numerous other organochlorides were developed as pesticides. Organophosphate compounds were also found to be highly effective. However, these compounds were also discovered to have deleterious effects on the environment.

Pyrethroids or pyrethrins have also been employed as insecticides in the prior art. However, many insects have developed resistance or immunity to the insecticidal effect of the pyrethroids and, as a result, these compounds are ineffective for controlling insects.

Most prior art insecticides are non-biodegradable, causing the insecticide to continuously build up in the soil and, subsequently, in the food chain. This long-term build up has been found to be particularly hazardous to the long-term health a variety of animal populations. As a result, use of many such insecticides has been either banned or severely restricted by recent legislation.

Although the need for an effective, non-toxic, biodegradable insecticide has existed for decades, an effective insecticide has not been realized. As an alternative, nonchemical methods have been used. However, little success has

been attained with nonchemical methods. As a result, in addition to these nonchemical methods, insecticides continue to be used in limited concentrations with reduced efficacy.

5 Therefore, it is a principal object of the present invention to provide an effective insecticide which eradicates insects which attack or feed on plants, crops, trees, animals, and humans without harming the plants, crops, trees, animals, or humans coming in contact with the insecticide.

10 Another object of the present invention is to provide an insecticide which is non-toxic to humans, animals, and the environment. Thus, the insecticide is safe to use and avoids common deleterious side effects of past insecticides.

15 Another object of the present invention is to provide an insecticide having the characteristic features described above which is completely biodegradable and completely safe for application directly to desired plants, humans and animals.

20 A further object of the present invention is to provide an insecticide having the characteristic features described above which is not harsh or irritating to the skin of humans and

animals and can be safely applied, without harm, to skin, scalp, or hair.

Another object of the present invention is to provide an
5 insecticide having the characteristic features described above which can be employed as an insecticide without harmful side effects to the user.

Another object of the present invention is to provide an
10 insecticide having the characteristic features described above which has no adverse effects on the food products produced by treated plants, crops, and trees, as well as no adverse effect on the soil or water.

Other and more specific objects will in part be obvious and
15 will in part appear hereinafter.

DETAILED DESCRIPTION

By employing the present invention, all of the prior art difficulties and drawbacks are completely eliminated and a safe, effective insecticide is attained. As detailed herein, the
20 compositions of the present invention are particularly constructed for controlling insects and other arthropods.

The present invention provides safe and highly effective insecticides, while also providing compositions which are non-toxic to humans, animals, and the environment. The compositions of this invention are non-toxic, which causes no harm or injury to humans, animals, and fully biodegradable, which causes no harm to the environment, water systems.

The chemical formulations of the present invention comprise compositions which include alkyl lactates, such as ethyl lactate. Although the alkyl lactates employed in the compositions of the present invention are generally well known and have been widely used, their efficacy as insecticides has been heretofore unrecognized in the prior art.

By employing the compositions of the present invention, insecticides and insect repellents are attained which are highly effective in controlling insects that are harmful to plants, trees, crops, humans, and animals. In particular, the formulations of the present invention may function as contact sprays capable of killing insects on contact, as well as lotions and shampoos for direct application to skin or hair.

The insecticide compositions of the present invention are safely employed on humans, animals, plants, trees, crops, fruit

trees and the like, as well as functioning as an effective general household product. One of the particular unique aspects of the compositions of the present invention is the ability of these compositions to function as highly effective insecticides, while also being completely biodegradable and non-toxic to humans, animals and the environment, particularly the water systems.

Another unique aspect of the insecticide compositions of the present invention is the attainment of a highly effective and efficient insecticide which employs alkyl lactates commonly employed in cosmetic products and in foods as additives. By employing alkyl lactates, the non-toxic safety of the resulting compositions is apparent and the ability to employ these compositions without in any way harming humans, animals, or the environment is readily apparent.

Although the alkyl lactates in the insecticide compositions of the present invention are commonly employed in cosmetics and foods, the use of these compounds as an insecticide represents a unique and unobvious departure from prior art teachings. There is no teaching or suggestion in the prior art that these products can be employed or combined in the manner detailed

herein to attain the highly effective insecticide compositions achieved by the present invention.

In accordance with the teaching of the present invention,
5 the compositions of the invention comprise alkyl lactates wherein the alkyl group has 1 to 12 carbon atoms. As fully detailed herein, by employing these compositions, highly effective insecticides are attained which completely eliminate all of the drawbacks of the prior art. In addition, the
10 insecticide compositions of the present invention are non-toxic to humans, animals, and the environment, enabling the insecticides to be freely used without adverse consequences.

Specific examples of the alkyl lactate group, include a
15 methyl group, an ethyl group, a propyl group, a butyl group and the like, preferably an ethyl lactate group.

According to one preferred embodiment of the present invention, the environmental surface disinfectant contains ethyl
20 lactate as the insecticide ingredient. Insecticide activity of the composition is attained at concentrations of ethyl lactate greater than two per cent, achieving maximal activity at ethyl lactate concentrations of approximately fifty percent. Accordingly, the preferred concentration range for ethyl lactate

when employed in the insecticide compositions is between two and fifty percent.

EXAMPLE

5 The following example shows one preferred embodiment according to the invention. The components and specific ingredients are presented as being typical, and various modifications can be derived in view of the foregoing disclosure within the scope of the invention. A stock formulation is
10 prepared as in Table 1.

TABLE 1.

<u>Ingredient</u>	<u>Weight %</u>
Ethyl Lactate	16.0%
Fragrance	1.0%
15 Water	83.0%.

Fragrance is added to the ethyl lactate and then mixed into the water. However, no particular order needs to be followed.

The efficacy of dilutions of the stock formulation in Table 1 was tested on dust mites Dermatophagoides farinae. For each
20 sample, approximately twenty (20) dust mites were placed in a petri dish containing media dyed with Sudan red. Dust mites were allowed to feed on the media for two days. The dust mites fed in this manner take on a reddish hue, allowing them to be easily visualized. Absorbent fabric was placed on the bottom of
25 the petri dishes. The fabric was moistened with deionized water

or dilutions of the stock formulation in equivalent volumes, and the petri dishes were covered with Fluon®. Three replicates were performed for each dilution. Dust mite mortality was recorded after twenty four (24) hours.

5

Turning to Table 2, there is shown that dilutions of the formulation in Table 1 exhibit a high insecticidal efficiency.

TABLE 2.

Dilution (deionized water:stock formulation)	Average Mortality
1:0	7%
3:1	100%
5:1	100%

10

Due to the gentle, non-toxic nature of the stock formulation, the composition may be applied directly to the skin or hair of humans or animals without any adverse reactions. In order to effectively apply the insecticide compositions defined in Table 1, the compositions can be formed as a lotion, spray,

15

or shampoo.

The insecticide formulation may include water, fragrances, surfactants, disinfectants, detergents or a combination thereof.

It should be recognized that embodiment described herein is
5 merely illustrative and is not meant to be limiting.

Alternative embodiments are possible without departing from the scope of the present invention.